

MICRO-TOUCH® Plus Sterile

Micro-Touch® Plus Sterile powder-free, textured, natural rubber latex examination gloves feature a polymer coating to aid in donning and provide excellent tactile sensitivity, durability and grip that healthcare professionals can expect in both wet and dry procedures. This sterilized natural rubber latex exam glove is recommended for sterile exam (non-surgical) procedures.

Safety & Protection

Infection Control

Allergy Concerns. Advanced manufacturing processes reduce total water extractable protein to 50 µg or less per gram. Safe use of these gloves by latex-sensitized individuals has not been established.

Sterilization. Gamma sterilized minimum 25kGy to provide sterility.

Quality Benchmarks. Meets or exceeds ASTM examination glove standards. Manufactured within the quality guidelines of ISO 13485:2003, ISO 9001:2008 and FDA-QSR.

Cuff. Inverted, 9.5" beaded cuff.

Resistance. Natural rubber latex remains the gold standard for hand barrier protection due to its strength, proven barrier protection, elasticity, fit, feel and comfort.

Skin Protection

Powder-Free. To help eliminate powder-related complications and sensitivity.

Comfort & Fit

Hand Fatigue

Stretchability (Modulus). Natural rubber latex has excellent elasticity allowing the glove to stretch easily and return to its original shape.

Shape of Glove/Former. Ambidextrous.

Tactile Sensitivity

Dependability. Because this glove is made of natural rubber latex, wearers experience a more secure fit that provides greater comfort without bagginess.

Memory. Natural rubber latex has excellent elasticity and memory.

Grip

Application Driven. A fully textured finish means unequalled reliability during sterile exam (non-surgical) procedures.

Ordering Information

SIZE	Product Number
Small	6016001
Medium	6016002
Large	6016003

100 Gloves/Dispenser Box – 4 Boxes/Case



Caution: This product contains natural rubber latex which may cause allergic reactions.

MICRO-TOUCH®
PLUS STERILE

Ansell

Everything you touch...we touch.

